



DESIGNED BY YOU. FOR YOU.

Whether its for your boat, tools or even a small workshop, you can create a Garden Master shed to meet your needs... exactly how you want it to function, exactly how you want it to look. No compromises.

And our new online app will make this even easier. Change the dimensions, roof style, colours and look of your shed with ease, as well as add and remove skylights, windows, hinged doors and sliding doors. And when you're finished, you can share your 3D shed design with your friends or even email it to yourself for later reference. And we'll provide you with an accurate quote on your own, individual shed design.





Design your very own shed with our online shed builder!



CUSTOM-BUILT, BY YOU.

Garden Master is New Zealand's most customisable kitset garden shed brand. Whatever the shape of space you have, or the amount you need to store, we can build a Garden Master just for you. Big, small, tall and narrow, or short and wide — make it your own!



Built to last

High tensile steel, formed into a deep ribbed profile, provides the inherent strength of your shed. Closely spaced ribs, with heavy

gauge channels, form a strong panel that acts as a tension membrane when assembled, making extra framework unnecessary.



New Zealand made

Our family will ensure you get the very best service at the right price. All our materials

are sourced only from reputable suppliers and roll-formed in our own factory.



Easy to build

Erecting your shed couldn't be easier! With some basic tools and a pair of helping hands, you'll have a Garden Master up in no time. We even include a free riveter with every shed to make sure you do a professional job.

There's also an Assembly Instruction App to guide you along – just search for Garden Master in your App Store.

If DIY is not your thing, then we have approved installers all around New Zealand — just ask in-store for your nearest installer.





NEW! 25 year warranty

If any component of our shed fails — we will replace it! Make sure your shed is built and secured to our instructions as a

minimum. Warranty does not cover damage or loss through act of God. Please inform your insurance provider. Phone 0800 807 433 for tips on high wind sites.



Kiwi know-how

Family owned and operated, we've been supplying New Zealanders with garden sheds since 1974.

Easy to transport and handle

All Garden Master sheds are now supplied in just one cardboard box and, for longer sheds, also a plastic wrapped channel pack. This makes them easier to transport to site, easier to handle and much easier to manoeuvre around any tight corners.



Tools required



Battery or electric drill



Tape measure



Ladder



Non-slip gloves



Good covered shoes



Eye protection



A pair of helping hands



DESIGN YOUR SHED IN 4 EASY STEPS

1 SPECIFY YOUR SIZE & ROOF STYLE

Designing your Garden Master shed is a simple, 4 step process – and building it is even easier! Start by choosing the appropriate size – determined by both the available space and what you intend to store in it. You can either choose a standard size (see opposite) or create your own size on the grid provided. Tried of lifting gear into the shed?
Get our **NEW** ramp and roll in
your mower with ease.

Single Door Ramp - GMSR08 Double Door Ramp - GMSR16





SLOPING ROOF

Increased height at the front of the shed allows water to run to the rear.



GABLE ROOF

Higher in the centre, this style allows water to run to both sides of the shed.

OUR RANGE OF STANDARD SIZES:

GM1508

Area: 1.19m² H. at front: 1830mm



Area: 1.78m² H. at front: 1830mm

GM1511

Area: 1.65m² H. at front: 1830mm

GM1811

Area: 1.98m²

GM2311

Area: 2.46m² H. at front: 1830mm H. at front: 1830mm

GM3011

Area: 3.27m² H. at front: 1830mm













GM1515

Area: 2.34m² Height at front: 1980mm Height at front: 1980mm Height at front: 1980mm



Area: 2.80m²

GM2315

Area: 3.49m²

GM3015

Area: 4.64m² Height at front: 1980mm

1830


GM3815

Area: 5.77m² Height at front: 1980mm











GM1818

Area: 3.35m² Height at front: 1980mm




GM2318

Area: 4.17m² Height at front: 1980mm



GM3018

Area: 5.54m² Height at front: 1980mm



GM3818

Area: 6.90m² Height at front: 1980mm



GM2323

Area: 5.20m² Height in centre: 2025mm



GM3023

Area: 6.91m² Height in centre: 2025mm



GM3823

Area: 8.60m² Height in centre: 2025mm



GM3830

Area: 11.42m² Height in centre: 2090mm



GM3030

Area: 9.18m² Height in centre: 2090mm



GM3033

Area: 10m² Height in centre: 2120mm



GM3838

Area: 14.21m² Height in centre: 2120mm




1830

3030

"I'm very happy with the sheds, they went up quickly once the floor was constructed. And, as the floors are level and square, there were no adjustments required."

3770

MH - Hamilton



Which roof do I need?

Plot the width and depth of your shed – if the back right corner of your shed is in the:

BLUE SECTOR

= gable roof

GREY SECTOR

= sloped roof, but can be upgraded to gable


GREEN SECTOR

= sloped roof

Choosing the height of your shed

The height (H) of your shed is the height of the back face.

The maximum vaue of H is 2130mm, and you can decrease this in 50mm increments down to 1430mm.




Calculating the maximum height of your shed


For sloping roof sheds:

The height of the front of your shed = H + 150mm.

For gable roof sheds:

The height in the centre of the gable = H + (0.086 x depth of shed).





Please complete the form below, or for an even better experience, use our online shed builder to get a quote:

Louvre window



Double Door Ramp

DESIGNED BY YOU. Order/Quote Form Order				Design your very own shed with our
	luote			online shed builder!
Name		(D. 1. 1)		
Address		Retailer:		
_		Order No:		
Phone		Craci ito.		
1 SPECIFY YOUR SIZE & ROOF TYPE				
		Layout	Plan - di	aw as a bird's eye view
Shed model code				
Your custom size: Width				
'	(extra height comes in 50mm increments)			Back
Upgrade to gable roof GMGU – available only	,	7		Þ
sheds in the GREY SEC	TOR	Left End		Right End
2 DOODS & MINIDOMS		Le		
(2) doors & windows				Front
Standard model – one single hinged door in	front			Tronc
OR CREATE CUSTOM SHED: PLEASE SHOW QUANTITIES AND POSITION	NS ON THE PLAN			
Remove single hinged door from front		Example		
Single hinged door (on back & ends) GMXD	Qty	Sinal	e sliding do	Louvre window or I
Single sliding door (front & back only) GMSSD	Qty			
Double hinged doors (front, back & ends) GMDD	Qty		Roof slope (water run	off
Double sliding doors (front & back only) GMDSD		hinged doors	direction)	Skylite
Louvre window inc. toughened glass GMLW		Jinge C	Centre line fo	or —
How many end walls have doors? GMDEW	Qty	و به	gable roof	
(3) ADD YOUR ACCESSORIES		Doubl		
		Dou	 uble sliding (doors
	Qtypacks			Single hinged door
	Qtypacks			
	Qty Qtu			
	Qtysets	(4) CHOOSI	E YOUR C	OLOURS
	Qty	Roof colour		Roof trim.colour
	Qty	Wall colour		Wall trim.colour
	Qty	Door colour		Door trim colour
	Qty			
Cabin hook GMCH	Qty	Please check and sig	ın before placi	ng order
Shed corner GMSCP	Qty	Customer sigr	nature:	
Skylite roof sheet GMSK	Qty			
Wooden floor GMWF	Qty	Store size of		
Single Door Ramp GMSR08	Qty	Store signatur	ਦ .	

GMSR16 Qty



PICK YOUR DOORS & WINDOWS

Choose the number, size (single or double), style (hinged or sliding) and position of the doors. Then add as many windows as you need.

NOTE: Sliding doors are only available on the front or back of the shed. Double sliding doors are only available on sheds that are 3030mm wide or over.











Build your shed and get a quote at gardenmastersheds.co.nz




ADD YOUR ACCESSORIES



For more information on accessories, scan the QR Code or visit

gardenmastersheds.co.nz/accessories-and-extras/





GM Securi



GM Ramp 0.8 or 1.6m wide



Cabin Hook



Shed corner



Locking T-Handle



Solar Batten Light

CONCRETE CLAMPS

Flat floor clamps

For existing flat concreted areas using concrete screws. (1 Pack = 8 clamps and 8 concrete screws)





Recessed floor clamps

For specially poured concrete floors. We recommend the recessed concrete floor system as it provides greater protection from wind lift and moisture entering under your shed. (1 Pack = 8 clamps and 8 concrete screws)







4

CHOOSE YOUR COLOURS

Personalise your shed with our Mix & Match system.

You can tailor the appearance of your shed to fit any landscape.

We will accommodate your needs whether you want your shed to be all one colour or to have a mix of roof, wall, and trim colours.

If no colour is specified, the material's colour is A/Z Plain.



Titania

Smooth Cream

Desertsand





















Scan the QR Code to use our online shed builder to try out colour combinations or visit gardenmastersheds.co.nz/build-your-custom-shed/



Colours shown are reproduced as accurately as the limitations of the printing process allows. Please ask your retailer to see a genuine Colorsteel colour chart.



Recently we purchased one of your sheds, and within two days of putting it up we had wind gusts of 250kph coming down on us from Mount Hutt. We weren't able to stand outside our house, but the shed withstood the storm battering with no problems at all! We were truly impressed.

PP - Methven









